

1176 12p



PATONS
FAIRYTALE

3 PLY



18 in.
46 cm



COURTAULDS
Courtelle

BRI
NYLON



Great occasion

something very special for baby's christening . . . ribbon-trimmed yoke and sleeves for a full lacy jacket and a choice of sleeve and hem lengths for the matching dress

Patons Fairytale 3 ply

The ideal yarn for baby knitting – soft, springy and it's machine washable too. Courtele/Bri-Nylon blend.

DRESS

To fit chest	in.	18
	cm	46
Length from top of shoulders		
Long Version	in.	22½
	cm	51
Short Version	in.	13½
	cm	34
Sleeve seam		
Long Version	in.	5½
	cm	14
Short Version	in.	2
	cm	5

Patons Fairytale 3 ply Courtele/Bri-Nylon

Long Version	× 20 gram balls	9
Short Version	× 20 gram balls	5

COAT

To fit chest	in.	18
	cm	46
Length from top of shoulders	in.	11½
	cm	29
Sleeve seam (approx.)	in.	6
	cm	15

Patons Fairytale 3 ply Courtele/Bri-Nylon	× 20 gram balls	5
---	-----------------	---

CAUTION. The instructions in this publication have been fully tested for the yarn specified. Patons accept no responsibility if any other yarn is used, or if needle and tension recommendations are not followed.

Buy the full amount of yarn at one time to avoid variations in dyelots.

Two No. 13, two No. 12 and two No. 11 BEEHIVE or MILWARD DISC needles, measured by BEEHIVE gauge. 4 small buttons and length of ¼ in. wide ribbon each for Dresses and Coat.

Check your tension by casting on 16 sts. on No. 11 needles. Work 20 rows in stocking stitch. Cast off. Lightly pressed the square should measure 2 in. each way.

These garments have been specially designed for the size given and it is regretted that no adaptations are available.

Abbreviations

K.=knit; P.=purl; st.=stitch; sl.1P.=slip stitch purlways; y.fwd.=yarn forward; p.s.s.o.=pass slip stitch over; tog.=together; t.b.l.=through back of loops; dec.=decrease by working 2 stitches together; alt.=alternate; rep.=repeat; patt.=pattern; in.=inches; s.s.k.=slip next 2 sts. one at a time **knitways**, put point of left-hand needle through front of these sts. and K. them together from this position.

PANEL PATT. 13

1st row—K.2, (K.2 tog., y.fwd.) twice, K.1, (y.fwd., s.s.k.) twice, K.2. **2nd and every alt. row**—P.
3rd row—K.1, (K.2 tog., y.fwd.) twice, K.3, (y.fwd., s.s.k.) twice, K.1. **5th row**—(K.2 tog., y.fwd.) twice, K.5, (y.fwd., s.s.k.) twice.
7th row—K.1, (y.fwd., s.s.k.) twice, K.3, (K.2 tog., y.fwd.) twice, K.1.
9th row—K.2, (y.fwd., s.s.k.) twice, K.1, (K.2 tog., y.fwd.) twice, K.2.
11th row—K.3, y.fwd., s.s.k., y.fwd., sl.1P., K.2 tog., p.s.s.o., y.fwd., K.2 tog., y.fwd., K.3. **12th row**—As 2nd row.

These 12 rows form panel patt.

Long Dress

FRONT

With No. 12 needles, cast on 145 sts.

**** Work 3 rows garter stitch (every row K.).**

Change to No. 11 needles and work in lace border patt. as follows:—

1st row—(Right side), K.1, * (y.fwd., s.s.k.) twice, K.3, (K.2 tog., y.fwd.) twice, K.1, rep. from * to end. **2nd and every alt. row**—P.

3rd row—K.1, * K.1, (y.fwd., s.s.k.) twice, K.1, (K.2 tog., y.fwd.) twice, K.2, rep. from * to end. **5th row**—K.3, * y.fwd., s.s.k., y.fwd., sl.1P., K.2 tog., p.s.s.o., y.fwd., K.2 tog., y.fwd., K.5, rep. from * but ending last rep. K.3 in place of K.5.

7th row—K.1, * K.1, (K.2 tog., y.fwd.) twice, K.1, (y.fwd., s.s.k.) twice, K.2, rep. from * to end. **9th row**—K.1, * (K.2 tog., y.fwd.) twice, K.3, (y.fwd., s.s.k.) twice, K.1, rep. from * to end.

11th row—(K.2 tog., y.fwd.) twice, K.5, * y.fwd., s.s.k., y.fwd., sl.1P., K.2 tog., p.s.s.o., y.fwd., K.2 tog., y.fwd., K.5, rep. from * to last 4 sts., (y.fwd., s.s.k.) twice. **12th row**—P. These 12 rows form lace patt.

Rep. last 12 rows 3 times more, thus ending with right side facing for next row. ******

Now **place panel patts.** as follows:—
1st row—K.6, * panel patt. 13 as 1st row, K.11, rep. from * to last 19 sts., panel patt. 13 (1st row), K.6. **2nd row**—P.6, * panel patt. 13 (2nd row), P.11, rep. from * to last 19 sts., panel patt. 13 as 2nd row, P.6.

Keeping continuity of panel patts. (next row 3rd row), continue thus until Front measures 14 in., ending with right side facing for next row.

Shape as follows:—

*** **Next row**—K.6, (panel patt. 13, K.5, K.2 tog., K.4, panel patt. 13, K.5, K.2 tog.t.b.l., K.4) twice, panel patt. 13, K.5, K.2 tog., K.4, panel patt. 13, K. to end (140 sts.). Work 9 rows straight.

Next row—K.6, (panel patt. 13, K.4, K.2 tog., K.4, panel patt. 13, K.4, K.2 tog.t.b.l., K.4) twice, panel patt. 13, K.4, K.2 tog., K.4, panel patt. 13, K. to end (135 sts.). Work 9 rows straight.

Next row—K.6, (panel patt. 13, K.4, K.2 tog., K.3, panel patt. 13, K.4, K.2 tog.t.b.l., K.3) twice, panel patt. 13, K.4, K.2 tog., K.3, panel patt. 13, K. to end (130 sts.). *** Work straight until Front measures 20 in., ending with **wrong** side facing for next row.

Change to No. 13 needles and dec. as follows:—

Next row—(K.2 tog., K.3 tog.) 26 times (52 sts.).

Break yarn and leave sts. on a spare needle.

RIGHT BACK

With No. 12 needles, cast on 73 sts. and work as for Front from ** to **.

Now **place panel patts.** as follows:—

1st row—K.6, (panel patt. 13 as 1st row, K.11) twice, panel patt. 13 as 1st row, K.6. **2nd row**—P.6, (panel patt. 13 as 2nd row, P.11) twice, panel patt. 13 as 2nd row, P.6. Keeping continuity of panel patts., continue thus until Back measures 14 in., ending with right side facing for next row.

Shape as follows:—

**** **Next row**—K.6, panel patt. 13, K.5, K.2 tog.t.b.l., K.4, panel patt. 13, K.5, K.2 tog., K.4, panel patt. 13, K.2, K.2 tog.t.b.l., K.2 (70 sts.). Work 9 rows straight.

Next row—K.6, panel patt. 13, K.4, K.2 tog.t.b.l., K.4, panel patt.

13, K.4, K.2 tog., K.4, panel patt. 13, K.1, K.2 tog.t.b.l., K.2 (67 sts.). Work 9 rows straight.

Next row—K.6, panel patt. 13, K.4, K.2 tog.t.b.l., K.3, panel patt. 13, K.4, K.2 tog., K.3, panel patt. 13, K.4 (65 sts.). ****

Work straight until Back matches Front at side edge, ending with **wrong** side facing for next row.

Change to No. 13 needles and dec. as follows:—

Next row—K.2 tog., (K.2 tog., K.3 tog.) 12 times, K.2 tog., K.1 (27 sts.). Break yarn and leave sts. on a spare needle.

LEFT BACK

Work to correspond with Right Back reversing shaping rows, first shaping row will thus read “K.2, K.2 tog.t.b.l., K.2, panel patt. 13, K.4, K.2 tog., K.5, panel patt. 13, K.4, K.2 tog.t.b.l., K.5, panel patt. 13, K.6”.

SLEEVES

With No. 12 needles, cast on 73 sts. and work 3 rows garter stitch.

Change to No. 11 needles and work 5 rows in lace border patt. as on Front.

Change to No. 13 needles and K. 1 row.

Next row—K.1, * y.fwd., K.2 tog., K.1, rep. from * to end. **Next row**—K.

Change to No. 11 needles and continue in lace patt., starting with a 7th patt. row until Sleeve measures 7½ in., ending with **wrong** side facing for next row.

Change to No. 13 needles and dec. as follows:—

Next row—(K.2 tog.) 35 times, K.3 tog. (36 sts.). Break yarn, and slip sts. on a spare needle.

YOKE

With right side facing and No. 13 needles, slip sts. on left-hand needle as follows: 27 sts. from Right Back, 36 from 1st Sleeve, 52 from Front, 36 from 2nd Sleeve, then 27 from Left Back (178 sts.).

**** Rejoin yarn. **Next row**—K.3, * y.fwd., K.2 tog., K.1, rep. from * to last st., K.1. **Next row**—K.

Shape yoke as follows:—

1st row—K.1, K.2 tog., * K.2, K.2 tog., rep. from * to last 3 sts.,

K.1, K.2 tog., (133 sts.). K. 1 row. **3rd row**—K.5, (K.2 tog., K.9) 11 times, K.2 tog., K. to end (121 sts.). K. 7 rows. **11th row**—K.5, (K.2 tog., K.8) 11 times, K.2 tog., K. to end (109 sts.).

K. 7 rows. **19th row**—K.4, (K.2 tog., K.7) 11 times, K.2 tog., K. to end (97 sts.). K. 5 rows.

25th row—K.4, (K.2 tog., K.6) 11 times, K.2 tog., K. to end (85 sts.).

K. 3 rows. **29th row**—K.3, (K.2 tog., K.5) 11 times, K.2 tog., K. to end (73 sts.).

K. 3 rows. **33rd row**—K.3, (K.2 tog., K.4) 11 times, K.2 tog., K. to end (61 sts.).

K. 2 rows. Cast off knitways.

MAKE UP AND BORDER

With wrong side of work facing, block each piece by pinning out round edges, and press following instructions on the ball band.

Using a fine back-stitch seam, join side and sleeve seams from lower edges to 2 in. below start of Yoke, then join remainder of Sleeve to Front and Back.

Join back seam from lower edge to 1 in. below start of Yoke.

Back Border: With right side facing and No. 13 needles, **knit up** 28 sts. down right side of back opening, then 28 sts. up left side of opening (56 sts.).

Next row—K. **Next row**—K.2, (y.fwd., K.2 tog., K.5) 3 times, y.fwd., K.2 tog., K. to end. Cast off knitways. Press seams. Sew on buttons. Thread ribbon through eyelet holes at wrist and round Yoke as in photograph, stitching ends on wrong side at centre back of Yoke.

Short Dress

FRONT

Work as for Front of Long Dress until 36 rows in lace border patt. have been worked. Now place panel patts. as for Front of Long Dress, then continue straight until Front measures 5 in., ending with right side facing for next row.

Shape as for Front of Long Dress from *** to *** (130 sts.).

Work straight until Front measures 11 in., ending with **wrong** side facing for next row.

Change to No. 13 needles and dec. as for Front of Long Dress (52 sts.). Break yarn and leave sts. on a spare needle.

RIGHT BACK

With No. 12 needles, cast on 73 sts. and work 3 rows garter stitch.

Change to No. 11 needles and work 36 rows in lace border patt. as on Front of Long Dress. Now place panel patts. as on Right Back of Long Dress, then continue straight until Back measures 5 in., ending with right side facing for next row.

Shape as for Right Back of Long Dress from **** to **** (65 sts.). Work straight until Back matches Front at side edge, ending with **wrong** side facing for next row.

Change to No. 13 needles and dec. as for Right Back of Long Dress (27 sts.). Break yarn and leave sts. on a spare needle.

LEFT BACK

Work to correspond with Right Back, reversing shaping rows, first shaping row will thus read "K.2, K.2 tog.t.b.l., K.2, panel patt. 13, K.4, K.2 tog., K.5, panel patt. 13, K.4, K.2 tog.t.b.l., K.5, panel patt. 13, K.6."

SLEEVES

With No. 12 needles, cast on 73 sts. and work as for Sleeves of Long Dress until Sleeve measures 4 in., ending with **wrong** side facing for next row.

Change to No. 13 needles and dec. as follows:—

Next row—(K.2 tog.) 35 times, K.3 tog. (36 sts.). Break yarn and slip sts. on a spare needle.

YOKE

Work as for Yoke of Long Dress.

TO MAKE UP

Press and Make Up as for Long Dress.

Matinee Coat

Main Part (Worked in one piece to armhole division).

With No. 12 needles, cast on 228 sts. and work 3 rows garter stitch.

Change to No. 11 needles and place panel patts. as follows:—

1st row—K.3, * panel patt. 13 as 1st row, K.6, rep. from * to last 16 sts., panel patt. 13 as 1st row, K.3.

2nd row—P.3, * panel patt. 13 as 2nd row, P.6, rep. from * to last 16 sts., panel patt. 13 as 2nd row, P.3.

Keeping continuity of panel patts., continue thus until work measures 7 in., ending with **wrong** side facing for next row.

Divide for Fronts and Back as follows:—

Next row—Patt. 57, turn and leave remaining sts. on a spare needle.

Continue on these 57 sts. for Left Front and work a further 19 rows in patt. as before.

Change to No. 13 needles and dec. as follows:—

Next row—(K.2 tog.) 12 times, (K.3 tog.) 3 times, (K.2 tog.) 12 times (27 sts.). Break yarn and leave sts. on a spare needle.

With **wrong** side facing, rejoin yarn to remaining sts., patt. 114, turn and leave remaining sts. on a spare needle.

Continue on these 114 sts. for Back and work a further 19 rows in patt. as before.

Change to No. 13 needles and dec. as follows:—

Next row—(K.2 tog.) 21 times, (K.3 tog.) 10 times, (K.2 tog.) 21 times (52 sts.). Break yarn and leave sts. on a spare needle.

With **wrong** side facing, rejoin yarn to remaining sts. and complete Right Front to correspond with Left Front.

SLEEVES

With No. 12 needles, cast on 76 sts. and work 3 rows garter stitch.

Change to No. 11 needles and placing panel patt. as on Main Part, work 5 rows in patt.

Change to No. 13 needles and K. 1 row.

Next row—K.2, * y.fwd., K.2 tog., K.1, rep. from * to last 2 sts., K.2.

Next row—K.

Change to No. 11 needles and continue in patt., starting with a 7th panel patt. row until Sleeve measures approx. 6 in., ending with same patt. row as on main part before armhole division. Place a marker at each end of last row. Work a further 20 rows in patt., thus ending with **wrong** side facing for next row.

Change to No. 13 needles and dec. as follows:—

Next row—(K.2 tog.) 16 times, (K.3 tog.) 4 times, (K.2 tog.) 16 times (36 sts.). Break yarn and leave remaining sts. on a length of yarn.

YOKE

With right side facing and No. 13 needles, slip sts. on left-hand needle as follows:—27 sts. from Left Front, 36 from 1st Sleeve, 52 from Back, 36 from 2nd Sleeve, 27 sts. from Right Front (178 sts.).

Work Yoke as for Yoke of Long Dress from **** to end.

MAKE UP AND FRONT BANDS

Press as for Long Dress. Join sleeve seams to marked points, then join remainder to Main Part.

Left Front Band: With No. 13 needles, cast on 5 sts. and **noting** 1st row is **wrong** side, work in garter stitch until strip, when slightly stretched, fits up Left Front to top of Yoke, ending with **wrong** side facing for next row. Sew in position as you go along. Cast off knitways.

Right Front Band: Work to correspond with Left Front Band with the addition of 4 buttonholes, first to come level with start of Yoke, last to come 2 rows below top of Yoke, and remainder spaced evenly between. First mark position of buttons on Left Band with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole: (Right side facing), K.2, y.fwd., K.2 tog., K.1. Press seams. Sew on buttons. Thread ribbon through eyelet holes at wrist and on Yoke.